

WHAT WE CLAIM IS:

1. A zoom lens system comprising in order from an object side of said system:

a first lens group having positive refracting power,

5 a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system,

a third lens group having positive refracting power, and

10 a fourth lens group that has positive refracting power and is movable during zooming, wherein:

said first lens group consists of two lenses, a negative lens and a positive lens, or one positive lens alone,

said third lens group comprises three lenses, a positive
15 lens, a positive lens and a negative lens, or two lenses, a positive lens and a negative lens, and

said third lens group has at least one aspherical surface therein.

2. The zoom lens system according to claim 1, wherein
20 the positive lens and negative lens in said third lens group are cemented together.

3. The zoom lens system according to claim 1 or 2, wherein said third lens group moves from the image plane side to the object side during zooming from the wide-angle end to
25 the telephoto end.

4. The zoom lens system according to any one of claims 1 to 3, wherein said first lens group remains fixed during zooming.

5. The zoom lens system according to claim 1, wherein said second lens consists of two lenses, a negative lens and a positive lens from the object side.

6. The zoom lens system according to any one of claims 1 to 5, wherein said fourth lens group consists of one positive lens alone.

7. The zoom lens system according to any one of claims 1 to 6, which satisfies the following condition (a):

$$0.3 < |L_3|/|L_2| < 1.0 \quad \dots (a)$$

where L_2 is an amount of said second lens group from the wide-angle end to the telephoto end, and L_3 is an amount of said third lens group from the wide-angle end to the telephoto end.

8. The zoom lens system according to any one of claims 1 to 7, wherein said second lens group has at least one aspherical surface therein.

9. The zoom lens system according to any one of claims 1 to 8, wherein said fourth lens group has at least one aspherical surface therein.

10. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves from the image plane side to the object side during zooming from the wide-angle end to the

AI
Cen 14
0917263-101498

81

telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, and satisfying the following condition (1):

$$0.5 < |F_2/F_3| < 1.2 \quad \dots (1)$$

5 where F_i is a focal length of an i -th lens group.

11. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and
10 moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves from the image plane side to the object side during zooming from the wide-angle end to the
15 telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, and satisfying the following condition (2):

$$0.49 < |L_3/L_2| < 1 \quad \dots (2)$$

where L_i is an amount of movement of an i -th lens group from
20 the wide-angle end to the telephoto end.

12. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and
25 moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves from the image plane side to the

object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, and satisfying the following condition (3):

5
$$2 < (F_{3.4W})/IH < 3.3 \quad \dots (3)$$

where $(F_{3.4W})$ is a composite focal length of said third and fourth lens groups at the wide-angle end, and IH is a radius of an image circle.

10 13. A zoom lens system comprising, in order from an object side of said system, a first lens group having positive refracting power, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens
15 group having positive refracting power and a fourth lens group that has positive refracting power and is movable during zooming, wherein:

said third lens group comprises, in order from an object side thereof, a positive lens convex on an object side
20 thereof and a doublet consisting of a positive lens convex on an object side thereof and a negative lens concave on an image side thereof, and peripheries of object side-directed convex surfaces of both said object-side positive lens and said doublet in said third lens group are held by a lens
25 holder barrel while said convex surfaces are abutting at said peripheries or some points on said lens holder barrel.

14. A zoom lens system comprising, in order from an object side of said system, a first lens group that has

83

positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, and

10 satisfying the following conditions (1) and (2):

$$0.5 < |F_2/F_3| < 1.2 \quad \dots (1)$$

$$0.49 < |L_3/L_2| < 1 \quad \dots (2)$$

where F_i is a focal length of an i -th lens group, and L_i is an amount of movement of an i -th lens group from the wide-angle end to the telephoto end.

15 15. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, and

20 satisfying the following conditions (1) and (3):

$$0.5 < |F_2/F_3| < 1.2 \quad \dots (1)$$

$$2 < (F_{3.4W})/IH < 3.3 \quad \dots (3)$$

where F_i is a focal length of an i -th lens group, $(F_{3.4W})$ is a composite focal length of said third and fourth lens groups at the wide-angle end, and IH is a radius of an image circle.

5 16. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive
10 refracting power and is movable during zooming, and
15 satisfying the following conditions (2) and (3):

$$0.49 < |L_3/L_2| < 1 \quad \dots (2)$$

$$2 < (F_{3.4W})/IH < 3.3 \quad \dots (3)$$

where L_i is an amount of movement of an i -th lens group from
20 the wide-angle end to the telephoto end, $(F_{3.4W})$ is a composite focal length of said third and fourth lens groups at the wide-angle end, and IH is a radius of an image circle.

17. A zoom lens system comprising, in order from an object side of said system, a first lens group that has
25 positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto

09172263.101498

95

end of said system, a third lens group that has positive refracting power and moves from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, and satisfying the following conditions (1), (2) and (3):

$$0.5 < |F_2/F_3| < 1.2 \quad \dots (1)$$

$$0.49 < |L_3/L_2| < 1 \quad \dots (2)$$

$$2 < (F_{3.4W})/IH < 3.3 \quad \dots (3)$$

where F_i is a focal length of an i-th lens group, L_i is an amount of movement of an i-th lens group from the wide-angle end to the telephoto end, $(F_{3.4W})$ is a composite focal length of said third and fourth lens groups at the wide-angle end, and IH is a radius of an image circle.

18. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 17, which satisfies the following condition (4):

$$0.6 < |F_2/F_3| < 1 \quad \dots (4)$$

where F_i is a focal length of an i-th lens group.

19. The zoom lens system according to any one of claim 10, 11, 12, and 14 to 18, wherein said fourth lens group moves along an optical axis direction for focusing.

20. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 19, which satisfies the following condition (5):

$$0.3 < F_3/F_4 < 0.8 \quad \dots (5)$$

wherein F_i is a focal length of an i-th lens group.

0912063-101498

86

21. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 20, which satisfies the following condition (6):

$$0.4 < |\beta_{2T}| < 1 \quad \dots (6)$$

5 where β_{2T} is a lateral magnification of the second lens group of the telephoto end of said system.

22. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 21, wherein said fourth lens group consists of one positive lens.

10 23. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 22, wherein said third lens group consists of three lenses, a positive lens, a positive lens and a negative lens in order from an object side thereof.

15 24. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 23, wherein at least one surface in said third lens group is an aspherical surface.

25 25. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 24, wherein at least one surface in said fourth lens group is an aspherical surface.

20 26. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 25, wherein at least one surface in said second lens group is an aspherical surface.

27. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto

A2
CNC

0917223 0440
0640T "E922ZT60

end of said system, a third lens group that has positive refracting power and moves from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, wherein said first lens group consists of one positive lens, and a lens in said second lens group that is located nearest to an object side thereof is a negative lens that satisfies the following condition (7):

10
$$v_{21} < 40 \quad \dots (7)$$

where v_{21} is an Abbe's number of said negative lens located nearest to the object side of said second lens group.

28. The zoom lens system according to claim 27, which satisfies the following condition (8):

15
$$v_{21} < 35 \quad \dots (8).$$

29. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 26, which satisfies the following condition (7):

$$v_{21} < 40 \quad \dots (7)$$

20 where v_{21} is an Abbe's number of the negative lens located nearest to the object side of said second lens group.

30. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 26, which satisfies the following condition (8):

25
$$v_{21} < 35 \quad \dots (8)$$

where v_{21} is an Abbe's number of the negative lens located nearest to the object side of said second lens group.

09172263 101498

88

A3
cancel

31. The zoom lens system according to any one of claims 10, 11, 12, and 14 to 29, wherein said third lens group comprises, in order from an object side thereof, a positive lens convex on an object side thereof and a doublet consisting of a positive lens convex on an object side thereof and a negative lens concave on an image plane side thereof, and peripheries of object side-directed convex surfaces of both said object-side positive lens and said doublet in said third lens group are held by a lens holder barrel while said convex surfaces are abutting at said peripheries or some points on said lens holder barrel.

32. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves constantly from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, wherein said third lens group comprises a doublet consisting of a positive lens and a negative lens, and said fourth lens group consists of one positive lens.

33. The zoom lens system according to claim 32, wherein at least one surface of the positive lens in said fourth lens group is an aspherical surface.

34. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves constantly from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, wherein each of said second and third lens groups comprises a doublet consisting of a positive lens and a negative lens.

35. A zoom lens system comprising, in order from an object side of said system, a first lens group that has positive refracting power and remains fixed during zooming, a second lens group that has negative refracting power and moves from an object side to an image plane side of said system during zooming from a wide-angle end to a telephoto end of said system, a third lens group that has positive refracting power and moves constantly from the image plane side to the object side during zooming from the wide-angle end to the telephoto end and a fourth lens group that has positive refracting power and is movable during zooming, wherein said third lens group consists of, in order from an object side thereof, a positive lens, and a doublet consisting of a positive lens and a negative lens.

36. A zoom lens system comprising, in order from an object side of said system, a first lens group having positive refracting power, a second lens group having negative refracting power, a third lens group having positive refracting power and a fourth lens group having positive refracting power, wherein during zooming, a space between said first and second lens groups, a space between said second and third lens groups and a space between said third and fourth lens groups vary independently, said third lens group consists of, in order from an object side thereof, a double-convex positive lens, and a doublet consisting of a positive meniscus lens convex on an object side thereof and a negative meniscus lens, and said fourth lens group consists of a double-convex lens having a large curvature on an object side surface thereof.

37. A zoom lens system comprising, in order from an object side of said system, a first lens group having positive refracting power, a second lens group having negative refracting power, a third lens group having positive refracting power and a fourth lens group having positive refracting power, wherein during zooming, a space between said first and second lens groups, a space between said second and third lens groups and a space between said third and fourth lens groups vary independently, said first lens group consists of one positive lens, said second lens group comprises three lenses or, in order from an object side thereof, a single lens and a doublet consisting of a negative lens and a positive lens, said third lens group comprises

three lenses or, in order from an object side thereof, a single lens and a doublet consisting of a positive lens and a negative lens, and said fourth lens group consists of one positive lens.

5 38. A zoom lens system comprising, in order from an object side of said system, a first lens group having positive refracting power, a second lens group having negative refracting power, a third lens group having positive refracting power and a fourth lens group having positive
10 refracting power, wherein during zooming, a space between said first and second lens groups, a space between said second and third lens groups and a space between said third and fourth lens groups vary independently, said first lens group consists of two lenses or a positive lens and a negative
15 lens, and said second or third lens group comprises a doublet consisting of at least one set of a positive lens and a negative lens.

09172263-101498